

Pozor : hyperony se třemi zápornými náboji nejsou pouze hyperony se čtyřmi kladnými náboji

	TTT^-		TTB^0		TBB^+		BBB^{++}	
		TTC^0 TTS^-		TBC^+ TBS^0		BBC^{++} BBS^+		
	TTD^- TTU^{--} TBU^{--}		TCC^+ TCS^0 TSS^-		BCC^{++} BCS^+ BSS^0		TBD^{+++} BBD^{++} BBU^{++}	
		TCD^0 TCU^- BSD^{--}	$\Omega_{ccc}^{++} CCC$ $\Omega_{cc}^+ CCS$ (+) $\Omega_c^0 CSS$ $\Omega^- SSS$		BCD^{+++} TSU^{++} BSU^+		BCU^{+++}	
Ξ_t^- Ξ_b^- Ξ_b^{--}	TDD BDD BDU	$\Xi_{cc}^+ CCD$ $\Xi_c^0 CSD$ $\Xi^- SSD$		CCU CSU SSU	Ξ_{cc}^{++} Ξ_c^+ Ξ^0	TDU TUU BUU	Ξ_t^{+++} Ξ_t^{++} Ξ_b^+	
		Σ_c^0 CDD SDD Σ^-		Σ_c^+ CDU SDU Σ^0		Σ_c^{++} CUU SUU Σ^+		
	DDD		DDU		DUU		UUU	
			Δ^-		Δ^0		Δ^+	
								Δ^{++}

Ve čtverečku kde je více hyperonů jsou tyto body „v zákrytu“, neb toto je plošná projekce.

	TTT⁻		TTB⁰		TBB⁺		BBB⁺⁺
			TTC⁰ TTS⁻		TBC⁺ TBS⁰		BBC⁺⁺ BBS⁺
	TTD⁻ TTU⁻⁻ TBU⁻⁻		TCC⁺ TCS⁰ TSS⁻		BCC⁺⁺ BCS⁺ BSS⁰		TBD⁺⁺⁺ BBD⁺⁺⁺ BBU⁺⁺
			TCD⁰ TCU⁻ BSD⁻⁻	Ω_{ccc}^{++} CCC Ω_{cc}^{+} CCS (+) Ω_c^0 CSS Ω^{-} SSS		BCD⁺⁺ TSU⁺⁺ BSU⁺	BCU⁺⁺⁺
			Ξ_{cc}^{+} CCD Ξ_c^0 CSD Ξ^{-} SSD		CCU Ξ_{cc}^{++} CSU Ξ_c^{+} SSU Ξ^0	TDU Ξ_t^{+++} TUU Ξ_t^{++} BUU Ξ_b^{+}	
			Σ_c^0 CDD SDD Σ^{-}	Σ_c^{+} CDU SDU Σ^0	Σ_c^{++} CUU SUU Σ^{+}		
	DDD		DDU		DUU		UUU

