

New Hypothesis

Quark's – substitution

u

d

s

c

b

t

$$x^1 \cdot t^{-1/3}$$

$$x^1 \cdot t^{2/3}$$

$$x^2 \cdot t^{2/3}$$

$$x^2 \cdot t^{5/3}$$

$$x^3 \cdot t^{5/3}$$

$$x^3 \cdot t^{8/3}$$

 $x^0 \cdot t^{+1/3}$

 $x^0 \cdot t^{4/3}$

 $x^1 \cdot t^{4/3}$

 $x^1 \cdot t^{7/3}$

 $x^2 \cdot t^{7/3}$

 $x^2 \cdot t^{10/3}$

or :

$$x^1 \cdot t^{-1/3}$$

$$x^1 \cdot t^{2/3}$$

$$x^2 \cdot t^{2/3}$$

$$x^2 \cdot t^{5/3}$$

$$x^3 \cdot t^{5/3}$$

$$x^3 \cdot t^{8/3}$$

 $x^0 \cdot t^{+1/3}$


 $x^0 \cdot t^{4/3}$

 $x^1 \cdot t^{4/3}$

 $x^1 \cdot t^{7/3}$

 $x^2 \cdot t^{7/3}$

 $x^2 \cdot t^{10/3}$



Lepton's

Antilepton's

$$(e^-) \quad \begin{array}{ccc} t^1 & x^2 \cdot t^1 & x^2 \cdot t^2 \\ \text{---} & \text{-----} & \text{-----} \\ 1 & x^2 \cdot t^1 & x^2 \cdot t^1 \end{array} =$$

$$(e^+) \quad \begin{array}{ccc} 1 & x^2 \cdot t^1 & x^2 \cdot t^1 \\ \text{---} & \text{-----} & \text{-----} \\ t^1 & x^2 \cdot t^1 & x^2 \cdot t^2 \end{array} =$$

$$(\tau^-) \quad \frac{t^1 \quad x^2.t^0}{1 \quad x^2.t^0} = \frac{x^2.t^1}{x^2.t^0}$$

$$(\tau^+) \quad \frac{1 \quad x^2.t^0}{t^1 \quad x^2.t^0} = \frac{x^2.t^0}{x^2.t^1}$$

$$(\mu^-) \quad \frac{t^1 \quad x^1.t^1}{1 \quad x^1.t^1} = \frac{x^1.t^2}{x^1.t^1}$$

$$(\mu^+) \quad \frac{1 \quad x^1.t^1}{t^1 \quad x^1.t^1} = \frac{x^1.t^1}{x^1.t^2}$$

$$(v_\mu) \quad \frac{t^1 \quad x^1.t^0}{1 \quad x^1.t^0} = \frac{x^1.t^1}{x^1.t^0}$$

$$(v_\mu^-) \quad \frac{1 \quad x^1.t^0}{t^1 \quad x^1.t^0} = \frac{x^1.t^0}{x^1.t^1}$$

$$(v_\tau) \quad \frac{t^1 \quad x^0.t^1}{1 \quad x^0.t^1} = \frac{x^0.t^2}{x^0.t^1}$$

$$(v_\tau^-) \quad \frac{1 \quad x^0.t^1}{t^1 \quad x^0.t^1} = \frac{x^0.t^1}{x^0.t^2}$$

$$(v_e) \quad \frac{t^1 \quad x^0.t^0}{1 \quad x^0.t^0} = \frac{x^0.t^1}{x^0.t^0}$$

$$(v_e^-) \quad \frac{1 \quad x^0.t^0}{t^1 \quad x^0.t^0} = \frac{x^0.t^0}{x^0.t^1}$$

následuje níže spirála -->

(která má něco společného s gluony...??) -->

